| **Version 8 - 30/07/2018**<br>**Reviewed by Ray Hayes, James Gagan, Kev Anderson**<br>**Trackside Safety** | (TLI equivalent/ corresponding) | Aurizon Around The Track Personnel (Non Construction / Maintenance) | Aurizon Contractor ⌘ | Aurizon Around The Track Personnel Visitor | Aurizon Around The Track Personnel Construction / Maintenance | Aurizon Around The Track Personnel Construction / Maintenance Visitor | Aurizon - Construction site (Non Around the Track Personnel) | Authorised Person | Protection Officer Level 1 (PO1) | Protection Officer Level 2 (PO2 TOA) | Protection Officer Level 3 (PO2 TWA) | Protection Officer Level 4 (PO3 PPO) | Perform Lookout Duties | Aurizon Employee PO Level 1 (PO1) | Aurizon Employee PO Level 2 (PO2 TOA) | Aurizon Employee PO Level 3 (PO2 TWA) | Aurizon Employee PO Level 4 (PO3 PPO) | Aurizon Isolation and Lockout - Protected Person | Aurizon Isolation and Lockout - Isolating Person | Aurizon Isolation and Lockout - Isolation Planner | Aurizon Worksite Protection Employee PO Level 1 (PO1) | Aurizon Worksite Protection Employee PO Level 2 (PO2 TOA) | Aurizon Worksite Protection Employee PO Level 3 (PO2 TWA) | Aurizon Worksite Protection Employee PO Level 4 (PO3 PPO) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **National Units of Competency** | | | | | | | | | | | | | | | | | | | | | | | | |
| CPCCOHS1001 - Work safely in the construction industry (White / Blue card) | | | | | x | x | x | x | x | x | x | x | x | x | x | x | x | | | | x | x | x | x |
| Rail Medical Cat 3 | | x | | | x | | | x | x | x | x | x | x | x | x | x | x | | | | | | | |
| Rail Medical Cat 2 | | | | | | | | | | | | | | | | | | | | | x | x | x | x |
| TLIF2080 - Safely Access the Rail Corridor | | x | | x | x | x | | x | x | x | x | x | x | x | x | x | x | | | | x | x | x | x |
| TLIF2081 - Perform lookout duties | | | | | | | | | x | x | x | x | x | | | | | | | | x | x | x | x |
| TLIF3083 Conduct track protection assessment | | | | | | | | | x | x | x | x | | | | | | | | | x | x | x | x |
| TLIL3084 - Implement a local possession authority | *TLIL3067* | | | | | | | | | | | x | | | | | | | | | | | | x |
| TLIL3082 Implement absolute signal blocking | *TLIL3069* | | | | | | | | x | x | x | x | | | | | | | | | x | x | x | x |
| TLIL3065 Implement track occupancy authority | | | | | | | | | | x | | | | | | | | | | | | x | x | x |
| TLIC2081 Pilot traffic within work on track authority limits | *TLIC2053* | | | | | | | | | | x | x | | | | | | | | | | x | x | x |
| TLIL3083 Implement a track work authority and manage rail traffic through worksites | *TLIL3066* | | | | | | | | | | x | | | | | | | | | | | | x | x |
| TLIL4069 - Plan and coordinate protection for multiple worksites within limits of a work on track authority | *TLIL4068* | | | | | | | | | | x | x | | | | | | | | | | | x | x |
| TLIF2097 Use audible track warning devices | | | | | | | | | | x | x | x | | | | | | | | | | x | x | x |
| TLIW2037 Clip and secure points | | | | | | | | | | x | x | x | | | | | | | | | | x | x | x |
| TLIW2039 Place and remove permanent way stop boards | | | | | | | | | | x | x | x | | | | | | | | | | x | x | x |
| TLIW2001 Operate under track protection rules | | | | | | | | | x | x | x | x | x | | | | | | | | x | x | x | x |
| **Aurizon Enterprise Qualifications** | | | | | | | | | | | | | | | | | | | | | | | | |
| Aurizon Rail Corridor Induction | | x | | | x | | | x | x | x | x | x | x | x | x | x | x | x | x | x | x | x | x | x |
| Aurizon General Contractor Induction (contractor only) | | | x | | | | | | | | | | | | | | | | | | | | | |
| Authorised Person | | | | | | | | x | | | | | | | | | | | | | | | | |
| Lookout Working (Aurizon qual. 40007017) | | | | | | | | | x | x | x | x | x | | | | | | | | x | x | x | x |
| Managing Multiple Workgroups Issuer (Aurizon qual. 40010379) | | | | | | | | | | x | x | x | | | x | x | x | | | | | x | x | x |
| Aurizon Isolation and Lockout - Protected Person (Online) | | x | | x | x | x | | x | x | x | x | x | x | x | x | x | x | x | | | x | x | x | x |
| Aurizon Isolation and Lockout - Isolating Person (Verification) | | | | | | | | | x | x | x | x | x | x | x | x | x | | x | | x | x | x | x |
| Aurizon Isolation and Lockout - Isolation Planner (Verification) | | | | | | | | | | | | x | | | | | x | | | x | | | | x |
| **All contractors will need to hold the National TLI qualification as well as a Track Protection card that will be issued when assessed suitable to operate on Aurizon Corridors by an Aurizon assessor.** | | | | | | | | | | | | | | | | | | | | | | | | |
| PO1-On the Job Observation (OJO) 18 Months | | | | | | | | | x | | | | | x | | | | | | | x | | | |
| PO2 TOA-On the Job Observation (OJO) 18 Months | | | | | | | | | | x | | | | | x | | | | | | | x | | |
| PO2 TWA-On the Job Observation (OJO) 18 Months | | | | | | | | | | | x | | | | | x | | | | | | | x | |
| PO3 PPO-On the Job Observation (OJO) 18 Months | | | | | | | | | | | | x | | | | | x | | | | | | | x |

⌘ It is mandatory for all Contractors to complete the Aurizon General Contractor Induction. They are also required to have the relevant Aurizon Around the Track Personnel role

**# Must report to supervisor or Track Protection Officer on arrival to site. This does not give you the authority to gain access to the corridor without permission**

*** A construction site on Aurizon corridor is anywhere that track maintenance or construction work is being under taken.**

**<u>Note:</u> Although a Trackside Protection Card could have a shelf life of 3yrs the ability to undertake the skill must be validated every 18 months with an On the Job Observation (OJO) process being completed and documented and a full reaccreditation must be undertaken every 3 years.**

All Isolation Lockout certificates and signoff sheets where applicable must be uploaded to attain the relevant qualification.

I.E - Foundation, Protected persons certificates and isolating persons certificate and verification sheet

In conjuction with the construction card, medical and TLI-SARC, Aurizon employees are only required to show competence against the Enterprise process for the PO elements (Trackside Protection Card).